








Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit TD800 / TD750 Floor Spring and PD15 Floor Pivot



Glass Thickness
(10-12mm)



Glass Preparation



Preference Pte. Ltd.
www.preference.com.sg

Model: PD10 Bottom Patch

Art. No.







Date : 26-JULY-2014

Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD24 Top Pivot, PD30 Overpanel Patch and PD40 Overpanel and Side Panel Patch



Glass Preparation



Model: PD20 Top Patch

Art. No.

Preference Pte. Ltd.
www.preference.com.sg






Date : 26-JULY-2014

Disclaimer:
This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit TD800 / TD750 Floor Spring and PD15 Floor Pivot




Glass Preparation



Preference Pte. Ltd.
www.preference.com.sg

Model: PD11 Bottom Patch (Variable)

Art. No.






Date : 26-JULY-2014

Disclaimer:


This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD24 Top Pivot and PD31 Overpanel Patch



Glass Thickness
(10-12mm)



Glass Preparation



Model: PD21 Top Patch (Variable)

Art. No.

Preference Pte. Ltd.
www.preference.com.sg






Date : 26-JULY-2014

Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD21 Top Patch



Glass Preparation



Preference Pte. Ltd.
www.preference.com.sg

Model: PD31 Overpanel Patch (Variable)

Art. No.






Date : 26-JULY-2014

Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD15P and PD15PT Floor Pivot




Glass Preparation



Preference Pte. Ltd.
www.preference.com.sg

Model: PD12 Bottom Patch

Art. No.






Date : 26-JULY-2014

Disclaimer:


This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit OC700 - Overhead Concealed Door Closer



Glass Thickness
(10-12mm)




Glass Preparation



Model: PD22 Top Patch

Art. No.

Preference Pte. Ltd.
www.preference.com.sg






Date : 26-JULY-2014

Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD20 Top Patch




Glass Preparation



Preference Pte. Ltd.
www.preference.com.sg

Model: PD30 Overpanel Patch

Art. No.




Date : 26-JULY-2014

Disclaimer:






This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel


To suit PD20 Top Patch



Glass Thickness
(10-12mm)



Glass Preparation
for Overpanel & Side Panel



Model: PD40 Overpanel & Side Panel Patch

Art. No.

Preference Pte. Ltd.
www.preference.com.sg




Date : 26-JULY-2014






Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.


Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel



Glass Thickness
(10-12mm)




Glass Preparation
for Overpanel & Side Panel



Preference Pte. Ltd.
www.preference.com.sg

Model: PD40S Overpanel & Side Panel Patch with Stop Insert


Art. No.








Date : 26-JULY-2014

Disclaimer:







This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.



**LH is determined by view from outside*



**RH is determined by view from outside*



Preference
The Preferred Name in Entrance Systems

Preference Pte. Ltd.
www.preference.com.sg

Model: PD40 (90) RH Overpanel & 90° Side Panel Patch
(RIGHT HAND)

Art. No.











Date : 20-AUG-2015

Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD20 Top Patch



Preference Pte. Ltd.
www.preference.com.sg

Model: PD41 (LH) Overpanel & Side Panel Patch
with Fin Fitting Attachment

Art. No.






Date : 26-JULY-2014

Disclaimer:


This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD20 Top Patch



Glass Preparation
for Fin Fitting Attachment Panel




Glass Preparation
for Overpanel & Side Panel



Preference Pte. Ltd.
www.preference.com.sg

Model: PD41 (RH) Overpanel & Side Panel Patch
with Fin Fitting Attachment

Art. No.








Date : 26-JULY-2014


Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel



Glass Preparation for Sliding Door



Glass Preparation for Swing Door



Preference Pte. Ltd.
www.preference.com.sg

Model: PL34 LOCK PATCH

Art. No.







Date : 26-JULY-2014


Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel



Glass Preparation PL50 Corner Patch



Preference Pte. Ltd.
www.preference.com.sg

Model: PL50 Corner Lock


Art. No.



Date : 26-JULY-2014






Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.



Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

Glass Thickness
(10-12mm)




Glass Preparation



Preference Pte. Ltd.
www.preference.com.sg

Model: US50 Centre Lock

Art. No.




Date : 30-JULY-2014

Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel



1 Preference
The Preferred Name in Entrance Systems

Preference Pte. Ltd.
www.preference.com.sg

Model: GK50 Centre Strike Box

Art. No.

Date : 26-JULY-2014

Disclaimer:
This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

